

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

Application Number	Filing Date	First Named Applicant	Atty. Docket No.
09/927,811	08/09/2001	Romano, Ivano	29474-5006

28977 MORGAN, LEWIS & BOCKIUS LLP 1701 MARKET STREET PHILADELPHIA PA 19103-2921

Title: Heat-inducible promoter

Date Mailed:04/04/2003

# **Request for Substitute Papers**

The papers filed on 03/31/03 with CD (certificate of mailing dated 03/21/03) are no longer in condition to become part of the permanent records of the United States Patent and Trademark Office (USPTO) for this application (37 CFR 1.52(a)) due to the United States Postal Service sanitization process.

The USPTO requests that applicant provide a copy of the above-identified papers (except for any U.S. or foreign patent documents submitted with the above-identified papers) with a statement that such copy is a complete and accurate copy of the above-identified papers (signing and returning a copy of this notice will provide such a statement). The reply to this letter should be submitted to the USPTO by facsimile at the number indicated  $\frac{205-16-1969}{1000}$ .  $\frac{703-746-9195}{1000}$ .

Alternatively, the reply to this letter may be hand-carried to the Customer Service Window located in Room 1B03 of Crystal Plaza Building 2, Arlington, Virginia, 22202.

The USPTO strongly prefers that the reply to this letter be submitted by facsimile. However, if applicant cannot submit the reply to this letter by facsimile (or hand-delivery), the reply may be mailed to: Box Duplicate OIPE, U.S. Patent and Trademark Office, P.O. Box 2327, Arlington, VA 22202-2327.

This letter is not a notice under 37 CFR 1.251. However, failure to timely replay to this notice within two (2) weeks of the date of receipt of this letter may result in the USPTO issuing a notice under 37 CFR 1.251. A copy of this notice should be included with the reply.

The enclosed papers are a complete and accurate copy of the above-identified papers.

Name: Wang Ngnyer Registration No.: 52,066

Signature Zuoffgyer Date: 4/23/03

BEADE H

HOTSCH

SYSTEMS

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/927,8118

Source: 01/8

Date Processed by STIC: 21/2/03

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,

2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.

PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<a href="http://www.uspto.gov/ebc/efs/downloads/documents.htm">http://www.uspto.gov/ebc/efs/downloads/documents.htm</a>>, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
- 3. Hand Carry directly to:
  - U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
  - U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
- Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002





### Does Not Comply Corrector' The Cotto Needed

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/927,811B

DATE: 02/12/2003 TIME: 12:29:54

Input Set : A:\PTO.VSK.txt

Output Set: N:\CRF4\02122003\I927811B.raw

- Please re-submit in

3 <110> APPLICANT: RheinBiotech Gesellschaft fur neue biotechnologische Prozesse 4

und Produkte mbH

Romano, Ivano 6

Gellissen, Gerd 8

DeVergilio, Claudio 10

12 <120> TITLE OF INVENTION: Heat-Inducible Promoter

14 <130> FILE REFERENCE: PCT1106-01966

16 <140> CURRENT APPLICATION NUMBER: 09/927,811B

C--> 18 <141> CURRENT FILING DATE: 2003-02-07

20 <150> PRIOR APPLICATION NUMBER: PCT/EP00/01144

22 <151> PRIOR FILING DATE: 2000-02-11

E--> 24 <160> NUMBER OF SEQ ID NOS: (27) - found 28

26 <170> SOFTWARE: PatentIn version 3.1

### ERRORED SEQUENCES

```
601 <210> SEQ ID NO: 28
```

602 <211> LENGTH: 15

603 <212> TYPE: DNA

604 <213> ORGANISM: Saccharomyces cerevisiae

W--> 605 <220> FEATURE:

606 <223> OTHER INFORMATION: Heat shock element

608 <400> SEQUENCE: 28

609 ggaacagaac aatcq

W--> 611 (continued) . (continued) . (continued) . (continued) . (continued) . (continued)

W--> 612 tinued). (continued). (continued). (continued). (continued). (continued).

(continu W--> 613 ed). (continued). (continued). (continued). (continued). (continued).

(continued) . (

W--> 614 continued). (continued). (continued). (continued). (continued). (continued)

W--> 615 inued). (continued). (continued). (continued). (continued). (continued).

W--> 616 d). (continued). (continued). (continued). (continued). (continued).

(continued).(c

W--> 617 ontinued).(continued).(continued).(continued).(continued).(continued).

W--> 618 nued). (continued). (continued). (continued). (continued). (continued). (continued

W--> 619 ). (continued). (continued). (continued). (continued). (continued).

(continued). (co

W--> 620 ntinued). (continued). (continued). (continued). (continued). (continued).

delete

· (contin

W--> 621 ued). (continued). (continued). (continued). (continued). (continued).

(continued)

W--> 622 . (continued) . (continued) . (continued) . W--> 623  $\binom{8}{1}$ 

E--> 625(1)-delet-l

RAW SEQUENCE LISTING ERROR SUMMARY PATENT APPLICATION: US/09/927,811B

DATE: 02/12/2003 TIME: 12:29:56

Input Set : A:\PTO.VSK.txt

Output Set: N:\CRF4\02122003\I927811B.raw

#### Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:28; Line(s) 611,612,613,614,615,616,617,618,619,620,621



VERIFICATION SUMMARY

PATENT APPLICATION: US/09/927,811B

DATE: 02/12/2003 TIME: 12:29:56

Input Set : A:\PTO.VSK.txt

Output Set: N:\CRF4\02122003\I927811B.raw

```
L:18 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:71 M:283 W: Missing Blank Line separator, <220> field identifier
L:77 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
L:86 M:283 W: Missing Blank Line separator, <220> field identifier
L:92 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:109 M:283 W: Missing Blank Line separator, <220> field identifier
L:385 M:283 W: Missing Blank Line separator, <220> field identifier
L:389 M:283 W: Missing Blank Line separator, <220> field identifier
L:395 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
L:402 M:283 W: Missing Blank Line separator, <220> field identifier
L:404 M:283 W: Missing Blank Line separator, <220> field identifier
L:416 M:283 W: Missing Blank Line separator, <220> field identifier
L:430 M:283 W: Missing Blank Line separator, <400> field identifier
L:440 M:283 W: Missing Blank Line separator, <400> field identifier
L:447 M:283 W: Missing Blank Line separator, <220> field identifier
L:484 M:283 W: Missing Blank Line separator, <400> field identifier
L:494 M:283 W: Missing Blank Line separator, <400> field identifier
L:552 M:283 W: Missing Blank Line separator, <400> field identifier
L:563 M:283 W: Missing Blank Line separator, <400> field identifier
L:585 M:283 W: Missing Blank Line separator, <400> field identifier
L:605 M:283 W: Missing Blank Line separator, <220> field identifier
L:611 M:334 W: (2) Invalid Amino Acid in Coding Region, NUMBER OF INVALID KEYS:1
L:612 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:28
L:612 M:334 W: (2) Invalid Amino Acid in Coding Region, NUMBER OF INVALID KEYS:1
L:613 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:28
L:613 M:334 W: (2) Invalid Amino Acid in Coding Region, NUMBER OF INVALID KEYS:1
L:614 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:28
L:614 M:334 W: (2) Invalid Amino Acid in Coding Region, NUMBER OF INVALID KEYS:1
L:615 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ'ID:28
L:615 M:334 W: (2) Invalid Amino Acid in Coding Region, NUMBER OF INVALID KEYS:1
L:616 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:28
L:616 M:334 W: (2) Invalid Amino Acid in Coding Region, NUMBER OF INVALID KEYS:1
L:617 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:28
L:617 M:334 W: (2) Invalid Amino Acid in Coding Region, NUMBER OF INVALID KEYS:1
L:618 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:28
L:618 M:334 W: (2) Invalid Amino Acid in Coding Region, NUMBER OF INVALID KEYS:1
L:619 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:28
L:619 M:334 W: (2) Invalid Amino Acid in Coding Region, NUMBER OF INVALID KEYS:1
L:620 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:28
L:620 M:334 W: (2) Invalid Amino Acid in Coding Region, NUMBER OF INVALID KEYS:1
L:621 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:28
 L:621 M:334 W: (2) Invalid Amino Acid in Coding Region, NUMBER OF INVALID KEYS:1
 L:622 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:28
L:622 M:334 W: (2) Invalid Amino Acid in Coding Region, NUMBER OF INVALID KEYS:1
 L:623 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:28
 L:625 M:254 E: No. of Bases conflict, this line has no nucleotides.
 L:24 M:203 E: No. of Seq. differs, <160> Number Of Sequences:Input (27) Counted (28)
```